

MATERIAL SAFETY DATA SHEET

MSDS No.


CRYSTAL 100 BASE OIL

Rev. Date 4/8/03

STE Oil Company, Inc.
2001 Clovis Barker
San Marcos, TX 78666

IMPORTANT: Read this MSDS before handling and disposing of this product and pass this information on to employees, customers, and users of this product.

I. PRODUCT IDENTIFICATION			
Trade Name	CRYSTAL 100 BASE OIL	Telephone Numbers	
Other Names	WHITE MINERAL BASE OIL	EMERGENCY 800/424-9300	CHEMTREC
Chemical Family	PETROLEUM HYDROCARBONS	CUSTOMER SERVICE 512/396-3399 MSDS/INFO	
Generic Name	WHITE MINERAL BASE OIL	DOT Hazardous Materials Proper Shipping Name	
CAS No.	64742-54-7	Company ID No.	UN/NA ID No. NOT REGULATED
II. PRODUCT/INGREDIENTS			
CAS#	64742-54-7	CONCENTRATION	INGREDIENTS
		100% VOLUME 100% VOLUME	BASE OIL HYDROTREATED HEAVY PARAFFINIC DISTILLATE
III. HAZARDS IDENTIFICATION			
Emergency Overview	APPEARANCE & ODOR: BRIGHT AND CLEAR LIQUID. SLIGHT HYDROCARBON ODOR. HEALTH HAZARDS: NO KNOWN IMMEDIATE HEALTH HAZARDS. MAY BE HARMFUL OR FATAL IF SWALLOWED. DO NOT INDUCE VOMITING. MAY CAUSE ASPIRATION PNEUMONIA. PHYSICAL HAZARDS: NO KNOWN PHYSICAL HAZARDS.		
Inhalation	INHALATION OF VAPORS (GENERATED AT HIGH TEMPERATURES ONLY) OR OIL MIST MAY CAUSE MILD IRRITATION OF THE NOSE, THROAT, AND RESPIRATORY TRACT.		
Eye Irritation	LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN MINIMALLY IRRITATING TO THE EYES.		
Skin Contact	LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN MINIMALLY IRRITATING TO THE SKIN. PROLONGED AND REPEATED CONTACT MAY RESULT IN DEFATTING AND DRYING OF THE SKIN THAT MAY CAUSE VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, FOLLICULITIS OR OIL ACNE.		
Ingestion	THIS MATERIAL MAY BE HARMFUL OR FATAL IF SWALLOWED. INGESTION MAY RESULT IN VOMITING; ASPIRATION (BREATHING) OF VOMITUS INTO LUNGS MUST BE AVOIDED AS EVEN SMALL QUANTITIES MAY RESULT IN ASPIRATION PNEUMONITIS.		
Signs and Symptoms	IRRITATION AS NOTED ABOVE. ASPIRATION PNEUMONITIS MAY BE EVIDENCED BY COUGHING, LABORED BREATHING AND CYANOSIS (BLUIISH SKIN); IN SEVERE CASES, DEATH.		
Aggravated Medical Conditions	PRE-EXISTING EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. FOR ADDITIONAL HEALTH INFORMATION, REFER TO SECTION 11.		

IV. FIRST AID MEASURES	
Inhalation	REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.
Eye Contact	FLUSH EYES WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.
Skin Contact	REMOVE CONTAMINATED CLOTHING AND SHOES AND WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER, THEN WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. DO NOT REUSE CLOTHING UNTIL CLEANED.
Ingestion	DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS. GET MEDICAL ATTENTION.
V. FIRE FIGHTING MEASURES	
Flash Point Method	
406° F/207.78° C (Cleveland Open Cup)	
Extinguishing Media	<p>MATERIAL WILL FLOAT AND CAN BE RE-IGNITED ON SURFACE OF WATER. USE WATER FOG, "ALCOHOL FOAM", DRY CHEMICAL OR CARBON DIOXIDE (CO₂) TO EXTINGUISH FLAMES. DO NOT USE A DIRECT SPRAY OF WATER.</p> <p>HAZARD RATING: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant</p> 
Firefighting Instructions	MATERIAL WILL NOT BURN UNLESS PREHEATED. CLEAR FIRE AREA OF ALL NON-EMERGENCY PERSONNEL. ONLY ENTER CONFINED FIRE SPACE WITH FULL GEAR, INCLUDING A POSITIVE PRESSURE NIOSH-APPROVED, SELF-CONTAINED BREATHING APPARATUS. COOL SURROUNDING EQUIPMENT, FIRE-EXPOSED CONTAINERS AND STRUCTURES WITH WATER. CONTAINER AREAS EXPOSED TO DIRECT FLAME CONTACT SHOULD BE COOLED WITH LARGE QUANTITIES OF WATER (500 GALLONS WATER PER MINUTE FLAME IMPINGEMENT EXPOSURE) TO PREVENT WEAKENING OF CONTAINER STRUCTURE.
VI. ACCIDENTAL RELEASE MEASURES	
Protective Measures	<p>MAY BURN ALTHOUGH NOT READILY IGNITABLE.</p> <p>WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT WHEN CLEANING UP SPILLS. REFER TO SECTION 8.</p>
Spill Management	<p>FOR SMALL SPILLS: SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL. PLACE IN NON-LEAKING CONTAINER AND SEAL TIGHTLY FOR PROPER DISPOSAL.</p> <p>REPORTING: CERCLA: PRODUCT IS COVERED BY EPA'S COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT (CERCLA) PETROLEUM EXCLUSION. RELEASES TO AIR, LAND, OR WATER ARE NOT REPORTABLE UNDER CERCLA (SUPERFUND).</p> <p>CWA: THIS PRODUCT IS AN OIL AS DEFINED UNDER SECTION 311 OF EPA'S CLEAN WATER ACT (CWA). SPILLS INTO OR LEADING TO SURFACE WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 1-800-424-8802.</p>
VII. HANDLING AND STORAGE	
Precautionary Measures	WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, APPLYING COSMETICS, OR USING TOILET. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES SUCH AS SHOES OR BELTS THAT CANNOT BE DECONTAMINATED. AVOID HEAT, OPEN FLAMES, INCLUDING PILOT LIGHTS, AND STRONG OXIDIZING AGENTS. USE EXPLOSION-PROOF VENTILATION TO PREVENT VAPOR ACCUMULATION. GROUND ALL HANDLING EQUIPMENT TO PREVENT SPARKING.
Storage	STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURE.
Container Warnings	KEEP CONTAINERS CLOSED WHEN NOT IN USE. CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, CAN CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, DRILL, GRIND, WELD OR PERFORM SIMILAR OPERATIONS ON OR NEAR CONTAINERS.

CRYSTAL 100 BASE OIL

MSDS No.

Rev. Date 4/8/03

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

	OIL MIST, MINERAL OIL MIST, MINERAL	ACGIH TLV OSHA PEL	TWA: 5mg/m3 TWA: 5mg/m3	STEL: 10mg/m3
Exposure Controls	ADEQUATE VENTILATION TO CONTROL AIRBORNE CONCENTRATIONS BELOW THE EXPOSURE GUIDELINES/ LIMITS.			
Personal Protection	PERSONAL PROTECTIVE EQUIPMENT (PPE) SELECTIONS VARY BASED ON POTENTIAL EXPOSURE CONDITIONS SUCH AS HANDLING PRACTICES, CONCENTRATION AND VENTILATION. INFORMATION ON THE SELECTION OF EYE, SKIN AND RESPIRATORY PROTECTION FOR USE WITH THIS MATERIAL IS PROVIDED BELOW.			
Eye Protection	SAFETY GLASSES WITH SIDE SHIELDS.			
Skin Protection	USE PROTECTIVE CLOTHING WHICH IS CHEMICALLY RESISTANT TO THIS MATERIAL. SELECTION OF PROTECTIVE CLOTHING DEPENDS ON POTENTIAL EXPOSURE CONDITIONS AND MAY INCLUDE GLOVES, BOOTS, SUITS AND OTHER ITEMS. THE SELECTION(S) SHOULD TAKE INTO ACCOUNT SUCH FACTORS AS JOB TASK, TYPE OF EXPOSURE AND DURABILITY. PUBLISHED LITERATURE, TEST DATA AND/OR GLOVE AND CLOTHING MANUFACTURERS INDICATE THE BEST PROTECTION IS PROVIDED BY: NEOPRENE OR NITRILE RUBBER.			
Respiratory Protection	IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO A LEVEL WHICH IS ADEQUATE TO PROTECT WORKER HEALTH, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR SELECTION, USE AND MAINTENANCE SHOULD BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE OSHA RESPIRATORY PROTECTION STANDARD, 29 CFR 1910.134. TYPES OF RESPIRATOR(S) TO BE CONSIDERED IN THE SELECTION PROCESS INCLUDE: FOR MIST: AIR PURIFYING, R OR P STYLE NIOSH APPROVED RESPIRATOR. FOR VAPORS: AIR PURIFYING, R OR P STYLE PREFILTER & ORGANIC CARTRIDGE, NIOSH APPROVED RESPIRATOR. SELF-CONTAINED BREATHING APPARATUS.			

IX. PHYSICAL AND CHEMICAL DATA

Flash Point Method	Specific Gravity (H₂O = 1 at 39.2° F)	Stability	Viscosity
406° F/207.78° C (Cleveland Open Cup)	0.8405	STABLE	18Cst @ 40°C
Appearance and Odor	BRIGHT AND CLEAR LIQUID. SLIGHT HYDROCARBON ODOR.		
Substance and Chemical Family	PETROLEUM HYDROCARBON		
Appearance	BRIGHT AND CLEAR LIQUID		

X. REACTIVITY AND STABILITY

Stability	MATERIAL IS STABLE UNDER NORMAL CONDITIONS.
Conditions to Avoid	AVOID HEAT AND OPEN FLAMES.
Materials to Avoid	AVOID CONTACT WITH STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products	THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT ON COMBUSTION CONDITIONS. A COMPLEX MIXTURE OF AIRBORNE SOLIDS, LIQUIDS AND GASES WILL EVOLVE WHEN THIS MATERIAL UNDERGOES PYROLYSIS OR COMBUSTION. CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION.

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity	DERMAL LD50 >5.0g/kg (RABBIT) ORAL LD50 >5.0g/kg (RAT)	OSHA: NON-TOXIC BASED ON SIMILAR MATERIAL(S) OSHA: NON-TOXIC BASED ON SIMILAR MATERIAL(S)
Base Oil	NTP: NO IARC: NO ACGIH: NO OSHA: NO	
Sensitization	MATERIAL IS NON-SENSITIZING TO SKIN.	

XII. ECOLOGICAL INFORMATION

Environmental Impact Summary THERE IS NO ECOLOGICAL DATA AVAILABLE FOR THIS PRODUCT. HOWEVER, THIS PRODUCT IS AN OIL. IT IS PERSISTENT AND DOES NOT READILY BIODEGRADE. HOWEVER, IT DOES NOT BIOACCUMULATE.

XIII. DISPOSAL INFORMATION

RCRA Information UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF THE MATERIAL TO DETERMINE, AT THE TIME OF THE DISPOSAL, WHETHER THE MATERIAL MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. THIS IS BECAUSE MATERIAL USES, TRANSFORMATIONS, MIXTURES, PROCESSES, ETC., MAY AFFECT THE CLASSIFICATION. REFER TO THE LATEST EPA, STATE AND LOCAL REGULATIONS REGARDING PROPER DISPOSAL.

XIV. TRANSPORT INFORMATION

US DEPARTMENT OF TRANSPORTATION CLASSIFICATION
THIS MATERIAL IS NOT SUBJECT TO DOT REGULATIONS UNDER 49 CFR PARTS 171-180.

THIS PRODUCT IS AN OIL UNDER 49CFR (DOT) PART 130. IF SHIPPED BY RAIL OR HIGHWAY IN A TANK WITH A CAPACITY OF 3500 GALLONS OR MORE, IT IS SUBJECT TO THESE REQUIREMENTS. MIXTURES OR SOLUTIONS CONTAINING 10% OR MORE OF THIS PRODUCT MAY ALSO BE SUBJECT TO THIS RULE.

Oil **INTERNATIONAL AIR TRANSPORTATION ASSOCIATION:**
NO REGULATED UNDER IATA RULES.

INTERNATIONAL MARITIME ORGANIZATION CLASSIFICATION:
NOT REGULATED UNDER INTERNATIONAL MARITIME ORGANIZATION RULES.

XV. REGULATORY INFORMATION

OSHA CLASSIFICATION:
PRODUCT IS HAZARDOUS ACCORDING TO THE OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 19.10.1200, BECAUSE IT CARRIES THE OCCUPATIONAL EXPOSURE LIMIT FOR MINERAL OIL MIST.

OZONE DEPLETING SUBSTANCES (40 CFR 82 CLEAN AIR ACT)::
I OR CLASS II OZONE DEPLETING SUBSTANCES.

SUPERFUND AMENDMENT & REAUTHORIZATION ACT (SARA) TITLE III:
THERE ARE NO COMPONENTS IN THIS PRODUCT ON THE SARA 302 LIST.

SARA HAZARD CATEGORIES (311/312):

IMMEDIATE HEALTH: NO
DELAYED HEALTH: NO
FIRE: NO
PRESSURE: NO
REACTIVITY: NO

Federal Regulatory Status

SARA TOXIC RELEASE INVENTORY (TRI) (313):
THERE ARE NO COMPONENTS IN THIS PRODUCT ON THE SARA 313 LIST.

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS:
THIS MATERIAL IS LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL SUBSTANCES.

OTHER CHEMICAL INVENTORIES:
AUSTRALIAN AICS, CANADIAN DSL, CHINESE INVENTORY, EUROPEAN EINECS, JAPAN ENCS, KOREAN INVENTORY, PHILIPPINES PICCS

STATE REGULATION:
THIS MATERIAL IS NOT REGULATED BY CALIFORNIA PROP 65, NEW JERSEY RIGHT-TO-KNOW CHEMICAL LIST OR PENNSYLVANIA RIGHT-TO-KNOW CHEMICAL LIST. HOWEVER FOR DETAILS ON YOUR REGULATION REQUIREMENTS YOU SHOULD CONTACT THE APPROPRIATE AGENCY IN YOUR STATE.

XVI. OTHER INFORMATION

HMS RATING:
(HEALTH, FIRE, REACTIVITY): 0, 1, 0

REVISION #: 0

REVISION DATE:
07/05/2001

REVISIONS SINCE LAST CHANGE (DISCUSSION):
THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN NEWLY CREATED TO FULLY COMPLY WITH THE GUIDANCE CONTAINED IN THE ANSI MSDS STANDARD (ANSI Z400.1-1998). WE ENCOURAGE YOU TO TAKE THE OPPORTUNITY TO READ THE MSDS AND REVIEW THE INFORMATION CONTAINED THEREIN.

CRYSTAL 100 BASE OIL

MSDS No.

Rev. Date 4/8/03

XVII.

LABEL INFORMATION

READ AND UNDERSTAND MATERIAL SAFETY DATA SHEET BEFORE HANDLING OR DISPOSING OF PRODUCT. THIS LABEL COMPLIES WITH THE REQUIREMENTS OF THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) FOR USE IN THE WORKPLACE. THIS LABEL IS NOT INTENDED TO BE USED WITH PACKAGING, INTENDED FOR SALE TO CONSUMERS AND MAY NOT CONFORM WITH THE REQUIREMENTS OF THE CONSUMERS AND MAY NOT CONFORM WITH THE REQUIREMENTS OF THE CONSUMER PRODUCT SAFETY ACT OR OTHER RELATED REGULATORY REQUIREMENTS.

PRODUCT CODES:

07235

CRYSTAL 100 BASE OIL

CAUTION!

ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE OIL ACNE OR DERMATITIS.

PRECAUTIONARY MEASURES:

AVOID PROLONGED OR REPEATED CONTACT WITH EYES, SKIN AND CLOTHING. DO NOT TAKE INTERNALLY.

FIRST AID:**INHALATION:**

REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

SKIN CONTACT:

REMOVE CONTAMINATED CLOTHING AND SHOES AND WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER, THEN WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. DO NOT REUSE CLOTHING UNTIL CLEANED.

EYE CONTACT:

FLUSH WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.

INGESTION:

DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS. GET MEDICAL ATTENTION.

FIRE:

IN CASE OF FIRE, USE WATER FOG, 'ALCOHOL FOAM', DRY CHEMICAL OR CARBON DIOXIDE (CO₂) TO EXTINGUISH FLAMES. DO NOT USE A DIRECT STREAM OF WATER. MATERIAL WILL FLOAT AND CAN BE RE-IGNITED ON SURFACE OF WATER.

SPILL OR LEAK:

DIKE AND CONTAIN SPILL.

FOR LARGE SPILLS: REMOVE WITH VACUUM TRUCK OR PUMP TO STORAGE/SALVAGE VESSELS.

FOR SMALL SPILLS: SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL. PLACE IN NON-LEAKING CONTAINER AND SEAL TIGHTLY FOR PROPER DISPOSAL.

CONTAINS:

HYDROTREATED HEAVY PARAFFINIC DISTILLATE, 64742-54-7

NFPA RATING (HEALTH, FIRE, REACTIVITY): 0, 1, 0

HMIS RATING (HEALTH, FIRE, REACTIVITY): 0, 1, 0

TRANSPORTATION:

US DEPARTMENT OF TRANSPORTATION CLASSIFICATION.

THIS MATERIAL IS NOT SUBJECT TO DOT REGULATIONS UNDER 49 CFR PARTS 171-180.

OIL: THIS PRODUCT IS AN OIL UNDER 49CFR (DOT) PART 130. IF SHIPPED BY RAIL OR HIGHWAY IN A TANK WITH A CAPACITY OF 3500 GALLONS OR MORE, IT IS SUBJECT TO THESE REQUIREMENTS. MIXTURES OR SOLUTIONS CONTAINING 10% OR MORE OF THIS PRODUCT MAY ALSO BE SUBJECT TO THIS RULE.

CAUTION:

MISUSE OF EMPTY CONTAINERS CAN BE HAZARDOUS. EMPTY CONTAINERS CAN BE HAZARDOUS IF USED TO STORE TOXIC, FLAMMABLE, OR REACTIVE MATERIALS. CUTTING OR WELDING OF EMPTY CONTAINERS MIGHT CAUSE FIRE, EXPLOSION OR TOXIC FUMES FROM RESIDUES. DO NOT PRESSURIZE OR EXPOSE TO OPEN FLAMES OR HEAT. KEEP CONTAINER CLOSED AND DRUM BUNGS IN PLACE.

NAME AND ADDRESS:

STE OIL COMPANY, INC.
2001 CLOVIS BARKER ROAD
SAN MARCOS, TX 78666
(512) 396-3399

TRANSPORTATION EMERGENCY: CHEMTEL (800) 424-9300

HEALTH EMERGENCY: CHEMTEL (800) 424-9300

ADMINISTRATIVE INFORMATION:

COMPANY ADDRESS: STE OIL COMPANY, INC., 2001 CLOVIS BARKER ROAD, SAN MARCOS, TX 78666

COMPANY PRODUCT STEWARDSHIP & REGULATORY COMPLIANCE CONTACT: AL EMFINGER

PHONE NUMBER: (512) 396-3399

MSDS FAX-BACK PHONE NUMBER: (512) 396-3465

CRYSTAL 100 BASE OIL

MSDS No.

Rev. Date 4/8/03

XVII.

LABEL INFORMATION (CONT'D)

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO US AT THIS TIME, AND IS BELIEVED TO BE ACCURATE BASED UPON THAT DATA. IT IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT, FOR PURPOSE OF HAZARD COMMUNICATION. IT IS NOT INTENDED TO CONSTITUTE PRODUCT PERFORMANCE INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, UNDERLYING DATA OR THE INFORMATION CONTAINED HEREIN. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON THE SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN. THE UNDERLYING DATA, AND THE INFORMATION PROVIDED HEREIN AS A RESULT OF THAT DATA, IS THE PROPERTY OF EQUIVA SERVICES LLC AND IS NOT TO BE THE SUBJECT OF SALE OR EXCHANGE WITHOUT THE EXPRESS WRITTEN CONSENT OF EQUIVA SERVICES LLC.