

SAFETY DATA SHEET

Crystal Plus 350FG

Section 1. Identification

GHS product identifier	Crystal Plus 350FG
Product code	: CP350FG
Chemical name	: Food grade white mineral oil (petroleum)
Other means of identification	: White mineral oil, petroleum; White mineral oil; Mineral oil; Paraffin oil; Paraffinum liquidum
Product type	: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Petrochemical industry: Petroleum refining Food Grade Mineral oil.		
Uses advised against	Reason	
Not available.		

Supplier's detailsSTE Oil Company, Inc.2001 Clovis Barker • San Marcos, TX 78666www.steoil.com

Emergency telephone	Technical Services 800-967-1931
number (with hours of	CHEMTREC International 800-424-9300
operation)	

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the	: Not classified.
substance or mixture	
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

Date of issue/Date of revision

Section 3. Composition/information on ingredients

Substance/mixture	ubstance	
Chemical name	ood grade white mineral oil (petroleum)	
Other means of identification	hite mineral oil, petroleum; White mineral oil; Mineral o araffinum liquidum	oil; Paraffin oil;

CAS number/other identifiers

Ingredient name	%	CAS number
Food grade white mineral oil (petroleum)	100	8042-47-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact		Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact		Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion		Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effe		
Eye contact	n significant effects or critical hazards.	
Inhalation	n significant effects or critical hazards.	
Skin contact	n significant effects or critical hazards.	
Ingestion	n significant effects or critical hazards.	
<u>Over-exposure signs/symp</u>		
Eye contact	ific data.	
Inhalation	ific data.	
Skin contact	ific data.	
Ingestion	fic data.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	mptomatically. Contact poison treatment specialist immediately if large s have been ingested or inhaled.	
Specific treatments	ific treatment.	
Protection of first-aiders	n shall be taken involving any personal risk or without suitable training.	

See toxicological information (Section 11)

Date of issue/Date of revision	: 01/31/24	Version	:1	2/9

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.		
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co	entainment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

Section 7. Handling and storage

Precautions for safe handl	ing		
Protective measures	: Put on appropriate p	ersonal protective equipment (see Section 8).	
Advice on general occupational hygiene	handled, stored and drinking and smokin	smoking should be prohibited in areas where this material is processed. Workers should wash hands and face before eatin g. Remove contaminated clothing and protective equipment be s. See also Section 8 for additional information on hygiene	
Date of issue/Date of revision	: 01/31/24	Version :1	3/9

Section 7. Handling and storage

Conditions for safe storage,	: Store in accordance with local regulations. Store in original container protected from
including any	direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials
incompatibilities	(see Section 10) and food and drink. Keep container tightly closed and sealed until
·	ready for use. Containers that have been opened must be carefully resealed and kept
	upright to prevent leakage. Do not store in unlabeled containers. Use appropriate
	containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits		
Food grade white mineral oil (petroleum)		ACGIH TLV (United States, 4/2014). TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 10/2013). TWA: 5 mg/m ³ 10 hours. Form: Mist STEL: 10 mg/m ³ 15 minutes. Form: Mist OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours.		
Appropriate engineering controls	: Good general ventilation should contaminants.	be sufficient to control worker exposure to airborne		
Environmental exposure controls	they comply with the requireme	ork process equipment should be checked to ensure nts of environmental protection legislation. In some or engineering modifications to the process equipment issions to acceptable levels.		
Individual protection measu	res			
Hygiene measures	eating, smoking and using the l Appropriate techniques should Wash contaminated clothing be	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	assessment indicates this is ne gases or dusts. If contact is po	assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-		
Skin protection				
Hand protection		gloves complying with an approved standard should be chemical products if a risk assessment indicates this is		
Body protection		Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Other skin protection	based on the task being perform	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Respiratory protection	standard if a risk assessment ir based on known or anticipated	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		

4/9

Section 9. Physical and chemical properties

Appearance : Liquid. [Viscous liquid.] **Physical state** Color : Colorless. Odor : Mild. Hydrocarbon. **Odor threshold** : Not available. pН : Not available. : -60 to -9°C (-76 to 15.8°F) **Melting point** : 218 to 800°C (424.4 to 1472°F) **Boiling point** : Closed cup: >112°C (>233.6°F) **Flash point** Open cup: 221°C (429.8°F) [Cleveland.] **Evaporation rate** : Not available. : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive (flammable) limits Vapor pressure : 0.011 kPa (0.08 mm Hg) [room temperature] Vapor density : Not available. **Relative density** : 0.869 Solubility : Insoluble in the following materials: cold water and hot water. Partition coefficient: n-: >6 octanol/water Auto-ignition temperature : 325 to 355°C (617 to 671°F) Decomposition temperature : Not available. Viscosity : Kinematic (40°C (104°F)): 0.6846 cm²/s (68.46 cSt)

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Active toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Food grade white mineral oil (petroleum)	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Oral	Rabbit	>5 mg/l >2000 mg/kg >5000 mg/kg	4 hours - -

Irritation/Corrosion

Not available.

Acuto toxicity

Sensitization

Date of issue/Date of revision

5/9

Section 11. Toxicological information

Not available.

Mutagenicity

Not available.

Carcinogenicity Not available.

Conclusion/Summary

: The classification as a carcinogen need not apply as it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Routes of entry anticipated: Oral, Dermal, Inhalation.

routes of exposure Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Date of issue/Date of revision	: 01/31/24	Ve
Teratogenicity	: No known significant effects or critical hazards.	
Mutagenicity	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
General	: No known significant effects or critical hazards.	
Not available.		
Potential chronic health effe	ects	
Potential delayed effects	: Not available.	
Potential immediate effects	: Not available.	
<u>Long term exposure</u>		
Potential delayed effects	: Not available.	
Potential immediate effects	: Not available.	
Short term exposure		

Crystal Plus 350FG

Section 11. Toxicological information

Developmental effects Fertility effects : No known significant effects or critical hazards.

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

<u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
5	Acute LC50 >100 mg/l Acute LC50 >10000 mg/l	- I	48 hours 96 hours

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Food grade white mineral oil (petroleum)	-	-	Inherent

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Food grade white mineral oil (petroleum)	>6	-	high

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal
of this product, solutions and any by-products should at all times comply with the
requirements of environmental protection and waste disposal legislation and any
regional local authority requirements. Dispose of surplus and non-recyclable products
via a licensed waste disposal contractor. Waste should not be disposed of untreated to
the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Waste packaging should be recycled. Incineration or landfill should only be considered
when recycling is not feasible. This material and its container must be disposed of in a
safe way. Empty containers or liners may retain some product residues. Avoid
dispersal of spilled material and runoff and contact with soil, waterways, drains and
sewers.RCRA classification: Not Regulated

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.

7/9

Crystal Plus 350FG

Section 14. Transport information

Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to Annex II of MARPOL	:	Not available.

73/78 and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	:	TSCA 8(a) CDR Exe	mpt/Part	ial exemption	: This materia	l is listed or exe	empted.
		This material is listed	or exem	pted.			
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed					
Clean Air Act Section 602 Class I Substances	:	Not listed					
Clean Air Act Section 602 Class II Substances	:	Not listed					
DEA List I Chemicals (Precursor Chemicals)	:	Not listed					
DEA List II Chemicals (Essential Chemicals)	:	Not listed					
SARA 302/304							
Composition/information	<u>on i</u>	ngredients					
No products were found.							
SARA 304 RQ	:	Not applicable.					
SARA 311/312		Natanglashis					
Classification		Not applicable.					
Composition/information	on I		1	1	1	1	· · · · · · · · · · · · · · · · · · ·
Name		%	Fire hazard	Sudden release of	Reactive	Immediate (acute)	Delayed (chronic)

Name	%	Fire hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard	
Food grade white mineral oil (petroleum)	100	No.	No.	No.	Yes.	No.	

State regulations

Massachusetts : This material is not listed.

- New York : This material is not listed.
- **New Jersey** : This material is listed.
- Pennsylvania
- : This material is not listed.
- California Prop. 65

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International lists	
National inventory	
Australia	: This material is listed or exempted.
Canada	: This material is listed or exempted.
China	: This material is listed or exempted.
Europe	: This material is listed or exempted.
Japan	: This material is listed or exempted.

Section 15. Regulatory information

Malaysia	: Not determined.
New Zealand	: This material is listed or exempted.
Philippines	: This material is listed or exempted.
Republic of Korea	: This material is listed or exempted.
Taiwan	: This material is listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification		Justification		
Not classified.				
History				
Date of issue/Date of revision	: 01/01/2017			
Version	: 1			
Key to abbreviations	BCF = Bioconcentration Fa GHS = Globally Harmonized IATA = International Air Tra IBC = International Air Co IMDG = International Maritic LogPow = logarithm of the of MARPOL 73/78 = International	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) 		

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.